



Republika e Kosovës
Republika Kosova - Republic of Kosovo
Qeveria - Vlada - Government

REPUBLIKA E KOSOVËS - REPUBLIKA KOSOVA - REPUBLIC OF KOSOVO QEVERIA E KOSOVËS - VLADA KOSOVA - GOVERNMENT OF KOSOVO MINISTRIA E BUJQËSISË, PYLLTARISË DHE ZHVILLIMIT RURAL MINISTARSTVO POLJOPRIVREDE, ŠUMARSTVA I RURALNOG RAZVOJA MINISTRY OF AGRICULTURE, FORESTRY AND RURAL DEVELOPMENT Arkivi Qendror - Centralna Arhiva - Central Archive	
Nr./Br.No.	3325
Nr. i fq./Br. Str./No. pgj	3
Data/Datum/Date:	10.08.2023
PRISHTINË - PRIŠTINA - PRISTINA	

Ministria e Bujqësisë, Pylltarisë dhe Zhvillimit Rural
Ministarstvo Poljoprivrede, Šumarstva i Ruralnog Razvoja
Ministry of Agriculture, Forestry and Rural Development

Kabineti i Ministrit / Kabinet Ministra / Cabinet of the Minister

Date: 08.08.2023
Ref. KM-291/23

Pursuant to Article 145 (paragraph 2) of the Constitution of the Republic of Kosovo, taking into account articles 8, 9, 10 and 11 of the Law No. 06/L – 113 on the Organization and Functioning of State Administration of the Independent Agencies, (Official Gazette, No. 7/01 March 2019), based on Article 8 (paragraph 1.4) article 15, Annex 11 of the Regulation (GRK) – No. 02/2021 on the Areas of the Administrative Responsibilities of the Prime Minister's Office and the Ministries (30.03.2021), and Article 20 (paragraphs 1,4 and 5) of the Law No. 03/L – 042 of the Plant Protection Products (Official Gazette No. 44, date 22.12.2008) as well as based on recommendation of the Commission on assessment and authorization of the Plant Protection Products, with Ref. 04-382/23, of the date 31.07.2023, Minister of the Ministry of Agriculture, Forestry and Rural Development, issues the following:

DECISION

On the Inclusion in the register and permitting the authorization to use plant protection product

1. The import, placement in the market and the authorization to use plant protection product –**Switch 62.5 WG** of producer “**Syngenta Crop Protection AG**”, **Switzerland** from its representative “**Fitofarma**” **SH.P.K, Ferizaj** shall be permitted.

2. **TYPE OF PRODUCT:** Fungicide

3. **CONTENT OF ACTIVE SUBSTANCE:** Fludioxonil.....25%
Cyprodinil.....37.5%

4. **USE:**

In **apple, pear and quince** against *Gloeosporium* spp., *Botrytis cinerea*, *Penicillium* spp., *Alternaria* spp., *Monilia* spp., *Colletotrichum* spp., *Nectria* spp., *Fusarium* spp., *Venturia* sp., with a dose of 80-100 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from the beginning of flowering up to ripening.

Peach, nectarine, apricot, cherry, plum against *Monilia* spp. With a dose of 60-100 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from the flowering up to ripening.

Grapevine against gray rot (*Botrytis cinerea*) with a dose of 80 – 100 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from the flowering up to ripening.

Strawberry against gray hot (*Botrytis cinerea*) (*Colletotrichum* spp.) with a dose of 125 g/100 l water, preventive treatments are carried out when the conditions are favorable for the development of the disease from the beginning of flowering to ripening.

Tomato, eggplant, pepper against *Botrytis* spp., *Sclerotinia* spp. with a dose of 80-100 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from the flowering up to ripening.

Cucumber, pumpkin against *Botrytis* spp., *Sclerotinia* spp., with a dose of 80-100 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from fruiting up to ripening.

Carrot against *Alternaria* spp., *Sclerotinia* spp., with a dose of 100 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from the stage of 4 leaves to full development.

Onion, garlic against *Botrytis squamosa* with a dose of 120 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from stage of 5 leaves up to full development.

Salad against *Botrytis cinerea*, *Sclerotinia* spp. with a dose of 60 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from the stage of the first leaf to full development.

Beans against *Botrytis cinerea*, *Sclerotinia* spp., *Colletotrichum* spp., with a dose of 100 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from flowering to the emergence of pods.

Tobacco against *Alternaria* spp., *Sclerotinia* spp., with a dose of 80 g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease from the beginning of flowering to its completion.

Ornamental plants against *Botrytis cinerea*, *Aspergillus* spp., with a dose of 100g/100 l water, preventive treatments are carried out when conditions are favorable for the development of the disease.

MIXES successfully with common insecticides and fungicides. In case of mixing, pour first Switch expect cases when the other preparation is the formulation WSB (water -soluble bag).

PHYTOTOXICITY: It is not phytotoxic when used in recommended crops and doses.

5. PACKING QUANTITY FOR IMPORT:

100g, 1kg, 5kg

6. REMARK:

Maximum number of treatments per season, vineyard 2, tomato, eggplant, cucumber and strawberry 2-3. Use low doses in the beginning of the infection. High doses are used in severe infections, making good weeding of the vegetative mass and especially of the fruits, but bearing in mind that the doses of do not exceed 120 gr/dylym.

In the vineyard, carefully choose the phenological phase when you will treat depending on the risk of infection and of the treatment programs of each area. To avoid the occurrence of resistance, we recommend alternating SWITCH with other fungicides that have a different mode of action.

7. KARENCA:

Grapevine: 21 days.

Tomato, Eggplant and Cucumber: 7 days

Strawberry: 14 days.



8. PROPOSAL OF CLASSIFICATION: GHS07- irritant (cat 2 or 3)



GHS09- warning (cat 1)-environmental hazard

9. PLACE OF SELLING: In the whole territory of the Republic of Kosovo.

10. The plant protection product authorized by point 1 of this decision is allowed to be imported into the Republic of Kosovo, until the deadline as defined in the registration certificate, based on the EU Pesticides/Active Substances Database, while circulation and its use is allowed according to article 26 paragraph 3 of Law No. 03/L-042 of Plant Protection Products.

11. This decision shall enter into force on the day of signature.

Faton Peci

Minister



The Decision shall be sent to the following:

- *Commission on assessment and authorization of plant protection products;*
- *Department of Agriculture Policy and Trade;*
- *Phytosanitary boundary service;*
- *Phytosanitary inspectors VFA;*
- *Importers of plant protection products, and*
- *Archive.*